

Material Safety Data Sheet

Date Printed: 15/DEC/2004

Date Updated: 12/MAR/2004

Version 1.6

According to 91/155/EEC

1 - Product and Company Information

Product Name CARBON DIOXIDE, PRESSURE TIN WITH 1 L
Product Number 00486

Company Sigma-Aldrich Pte Ltd
#08-01 Citilink Warehouse
Singapore 118529
Singapore

Technical Phone # 65 271 1089
Fax 65 271 1571

2 - Composition/Information on Ingredients

Product Name	CAS #	EC no	Annex I Index Number
CARBON DIOXIDE GAS	124-38-9	204-696-9	None

Formula CO2
Molecular Weight 44.01 AMU
Synonyms Anhydride carbonique (French) * Carbon dioxide
(ACGIH:OSHA) * Carbonic acid anhydride *
Carbonic acid gas * Carbonic anhydride * Carbon
oxide * Dry ice * Khladon 744 * Kohlendioxyd
(German) * Kohlensaure (German) * R 744

3 - Hazards Identification

SPECIAL INDICATION OF HAZARDS TO HUMANS AND THE ENVIRONMENT
Not hazardous according to Directive 67/548/EC.

4 - First Aid Measures

AFTER INHALATION

If inhaled, remove to fresh air. If not breathing give
artificial respiration. If breathing is difficult, give oxygen.

AFTER SKIN CONTACT

In case of contact, immediately wash skin with soap and copious
amounts of water.

AFTER EYE CONTACT

In case of contact with eyes, flush with copious amounts of
water for at least 15 minutes. Assure adequate flushing by
separating the eyelids with fingers. Call a physician.

AFTER INGESTION

If swallowed, wash out mouth with water provided person is
conscious. Call a physician.

5 - Fire Fighting Measures

EXTINGUISHING MEDIA

Suitable: Use water spray or fog nozzle to keep cylinder cool.
Move cylinder away from fire if there is no risk.

SPECIAL RISKS

Specific Hazard(s): Emits toxic fumes under fire conditions.
Explosion Hazards: Container explosion may occur under fire conditions.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

6 - Accidental Release Measures

PERSONAL PRECAUTION PROCEDURES TO BE FOLLOWED IN CASE OF LEAK OR SPILL

Evacuate area and keep personnel upwind. Shut off leak if there is no risk.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.

METHODS FOR CLEANING UP

Ventilate area and wash spill site after material pickup is complete.

7 - Handling and Storage

HANDLING

Directions for Safe Handling: Do not breathe gas. Do not get in eyes, on skin, on clothing. Avoid prolonged or repeated exposure.

STORAGE

Conditions of Storage: Keep tightly closed. Cylinder temperature should not exceed 125°F (52°C).

SPECIAL REQUIREMENTS: Contents under pressure. Do not heat above 50°C.

8 - Exposure Controls / Personal Protection

ENGINEERING CONTROLS

Mechanical exhaust required. Safety shower and eye bath.

WORK PRACTICES

Store and use with adequate ventilation.

GENERAL HYGIENE MEASURES

Wash thoroughly after handling.

EXPOSURE LIMITS

Country	Source	Type	Value
Poland		NDS	9000 MG/M3
Poland		NDSCh	27000 MG/M3
Poland		NDSP	-

EXPOSURE LIMITS - DENMARK

Source	Type	Value
OEL	TWA	9,000 mg/m3
		5,000 ppm

EXPOSURE LIMITS - GERMANY

Source	Type	Value
TRGS 900	OEL	9,000 mg/m3 5,000 ppm

Remarks: 4

EXPOSURE LIMITS - NORWAY

Source	Type	Value
	OEL	9,000 mg/m3 5,000 ppm

EXPOSURE LIMITS - SWEDEN

Source	Type	Value
	LLV (Level)	9,000 mg/m3 5,000 ppm

EXPOSURE LIMITS - SWITZERLAND

Source	Type	Value
OEL	OEL	9,000 mg/m3 5,000 ppm

EXPOSURE LIMITS - UNITED KINGDOM

Source	Type	Value
OEL	OEL	9,150 mg/m3 5,000 ppm
OEL	STEL	27,400 mg/m3 15,000 ppm

Remarks: Indicative limit value

PERSONAL PROTECTIVE EQUIPMENT

Respiratory Protection: Government approved respirator in nonventilated areas and/or for exposure above the TLV or PEL.
Hand Protection: Compatible chemical-resistant gloves.
Eye Protection: Chemical safety goggles.

9 - Physical and Chemical Properties

Appearance	Physical State: Compressed gas	
Property	Value	At Temperature or Pressure
pH	N/A	
BP/BP Range	N/A	
MP/MP Range	-78.5 °C	
Flash Point	N/A	
Flammability	N/A	
Autoignition Temp	N/A	
Oxidizing Properties	N/A	
Explosive Properties	N/A	
Explosion Limits	N/A	
Vapor Pressure	42940 mmHg	20 °C
SG/Density	N/A	
Partition Coefficient	N/A	
Viscosity	N/A	
Vapor Density	1.52 g/l	
Saturated Vapor Conc.	N/A	
Evaporation Rate	N/A	
Bulk Density	N/A	
Decomposition Temp.	N/A	
Solvent Content	N/A	
Water Content	N/A	
Surface Tension	N/A	

Conductivity N/A
Miscellaneous Data N/A
Solubility N/A

10 - Stability and Reactivity

STABILITY

Stable: Stable.

HAZARDOUS DECOMPOSITION PRODUCTS

Hazardous Decomposition Products: Carbon dioxide.

11 - Toxicological Information

RTECS NUMBER: FF6400000

ACUTE TOXICITY

LCLO
Inhalation
Human
9 PPH/5M

SIGNS AND SYMPTOMS OF EXPOSURE

Low to medium concentrations of carbon dioxide can cause respiratory stimulation, affect regulation of blood circulation, and the acidity of body fluids. High concentrations are dangerous due to increased breathing and heart rates and change in body acidity. Very high concentrations can cause unconsciousness and death. Exposure can cause: Nausea, dizziness, and headache.

ROUTE OF EXPOSURE

Skin Contact: Can cause severe frostbite.
Inhalation: Can cause rapid suffocation.
Multiple Routes: May be harmful by inhalation, ingestion, or skin absorption.

CHRONIC EXPOSURE - TERATOGEN

Species: Rat
Dose: 6 PPH/24H
Route of Application: Inhalation
Exposure Time: (10D PREG)
Result: Specific Developmental Abnormalities: Musculoskeletal system. Specific Developmental Abnormalities: Cardiovascular (circulatory) system. Specific Developmental Abnormalities: Respiratory system.

Species: Rabbit
Dose: 13 PPH/4H
Route of Application: Inhalation
Exposure Time: (9-12D PREG)
Result: Specific Developmental Abnormalities: Musculoskeletal system.

CHRONIC EXPOSURE - REPRODUCTIVE HAZARD

Species: Rat
Dose: 6 PPH/24H
Route of Application: Inhalation
Exposure Time: (10D PREG)

Result: Effects on Newborn: Growth statistics (e.g., reduced weight gain).

Species: Mouse
Dose: 55 PPH/2H
Route of Application: Inhalation
Exposure Time: (3D MALE)
Result: Paternal Effects: Spermatogenesis (including genetic material, sperm morphology, motility, and count).

Species: Mouse
Dose: 55 PPH/4H
Route of Application: Inhalation
Exposure Time: (6D MALE)
Result: Effects on Fertility: Male fertility index (e.g., # males impregnating females per # males exposed to fertile nonpregnant females).

Species: Mouse
Dose: 2 PPH/8H
Route of Application: Inhalation
Exposure Time: (10D PREG)
Result: Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).
Specific Developmental Abnormalities: Musculoskeletal system.

12 - Ecological Information

No data available.

13 - Disposal Considerations

SUBSTANCE DISPOSAL

Contact a licensed professional waste disposal service to dispose of this material. Observe all federal, state, and local environmental regulations.

CONTAMINATED CONTAINER DISPOSAL

Caution: no-return cylinder. Do not reuse. Empty cylinder will contain hazardous residue. Follow proper disposal techniques.

14 - Transport Information

RID/ADR

UN#: 1013
Class: 2
Proper Shipping Name: Carbon dioxide

IMDG

UN#: 1013
Class: 2.2
Proper Shipping Name: Carbon dioxide
Marine Pollutant: No
Severe Marine Pollutant: No

IATA

UN#: 1013
Class: 2.2
Proper Shipping Name: Carbon dioxide
Inhalation Packing Group I: No

15 - Regulatory Information

CLASSIFICATION AND LABELING ACCORDING TO EU DIRECTIVES

S-PHRASES: 9

Keep container in a well-ventilated place.

Not hazardous according to Directive 67/548/EC.

COUNTRY SPECIFIC INFORMATION

Germany

WGK: No hazard to waters.

SWITZERLAND

SWISS POISON CLASS: 5

16 - Other Information

WARRANTY

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Inc., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale. Copyright 2004 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only.

DISCLAIMER

For R&D use only. Not for drug, household or other uses.